

PTO/SB/08A (10-01)  
Approved for use through 10/31/2002. OMB 0651-0031  
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE



Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

<b>Substitute for form 1449A/PTO</b>  <b>INFORMATION DISCLOSURE STATEMENT BY APPLICANT</b>  (use as many sheets as necessary)				<b>Complete if Known</b>	
				Application Number	10/055,068
				Filing Date	January 22, 2002
				First Named Inventor	Kunal Mitra
				Art Unit	2882
Examiner Name					
Sheet	1	of	4	Attorney Docket Number	FIT-100XC1

U.S. PATENT DOCUMENTS					
Examiner Initials*	Cite No. <sup>1</sup>	Document Number Number - Kind Code <sup>2</sup> (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
HP	U1	US-5,327,446	07-05-1994	Waynant	All
HP	U2	US-5,370,608	12-06-1994	Sahota <i>et al.</i>	All
HP	U3	US-5,707,332	01-13-1998	Weinberger	All
HP	U4	US-5,916,143	06-29-1999	Apple <i>et al.</i>	All
HP	U5	US-6,093,141	07-25-2000	Mosseri <i>et al.</i>	All


FOREIGN PATENT DOCUMENTS						
Examiner Initials*	Cite No. <sup>1</sup>	Foreign Patent Document	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T <sup>6</sup>
		Country Code <sup>3</sup> - Number <sup>4</sup> - Kind Code <sup>5</sup> (if known)				
	F1					
	F2					
	F3					
	F4					
	F5					
	F6					
	F7					
	F8					
	F9					

Examiner Signature		Date Considered	9/16/02
--------------------	--	-----------------	---------

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup> Applicant's unique citation designation number (optional). <sup>2</sup> See Kind Codes of USPTO Patent Documents at [www.uspto.gov](http://www.uspto.gov) or MPEP 901.04. <sup>3</sup> Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). <sup>4</sup> For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. <sup>5</sup> Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. <sup>6</sup> Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.



Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

PTO/SB/08B (10-01)  
Approved for use through 10/31/2002. OMB 0651-0031  
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Substitute for form 1449B/PTO <b>INFORMATION DISCLOSURE STATEMENT BY APPLICANT</b>  (use as many sheets as necessary)				<b>Complete if Known</b>	
				Application Number	10/055,068
				Filing Date	January 22, 2002
				First Named Inventor	Kunal Mitra
				Group Art Unit	2882
				Examiner Name	
				Attorney Docket Number	FIT-100XC1
Sheet	2	of	4		


NON PATENT LITERATURE DOCUMENTS			
Examiner Initials*	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS), title of the article, (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T <sup>2</sup>
HP	R1	BITTL, JOHN A. <i>et al.</i> , "Clinical Success, Complications and Restenosis Rates with Excimer Laser Coronary Angioplasty," American Journal of Cardiology, 1992, pp. 1533-1539, Vol. 70.	
	R2	CATTANEO, CARLO <i>et al.</i> , "A Form of Heat Conduction Equation Which Eliminates the Paradox of Instantaneous Propagation," Comptes Rendus, 1958, pp. 431-433, Vol. 247.	
	R3	COURSEY, B.M. <i>et al.</i> , "Radionuclide Therapy," Physics Today, April 2000, pp. 25-30.	
	R4	DE JAEGERE, P. <i>et al.</i> , "Endovascular Stents: Preliminary Clinical Results and Future Developments," Clinical Cardiology, 1993, pp. 369-378, Vol. 16.	
	R5	ELLIS, S.G. <i>et al.</i> , "Restenosis after Placement of Palmaz-Schatz Stents in Native Coronary Arteries: Initial Results of Multicenter Experience," Circulation, 1992, pp. 1836-1844, Vol. 86.	
	R6	GANNOT, ISRAEL <i>et al.</i> , "Current Status of Flexible Waveguides for IR Laser Radiation Transmission," IEEE Journal of Selected Topics In Quantum Electronics, 1996, pp. 880-889, Vol. 2 No. 4.	
	R7	ILEV, ILKO K. <i>et al.</i> , "All-Fiber-Optic Sensor for Liquid Level Measurement," Review of Scientific Instruments, 1999, pp. 2551-2554, Vol. 70 No. 5.	
	R8	ILEV, ILKO K. <i>et al.</i> , "Grazing-Incidence-Based Hollow Taper for Infrared Laser-to-Fiber Coupling," Applied Physics Letters, 1999, pp. 2921-2923, Vol. 74 No. 20.	
	R9	ILEV, ILKO K. <i>et al.</i> , "Ultraviolet Laser Delivery Using an Uncoated Hollow Taper," IEEE Journal of Quantum Electronics, August 2000, pp. 944-948, Vol. 36 No. 8.	
	R10	JOSEPH, D.D. <i>et al.</i> , "Heat Waves," Reviews of Modern Physics, January 1989, pp. 41-73, Vol. 61 No. 1.	
	R11	KAMINSKI, W., "Hyperbolic Heat Conduction Equation for Materials with a Nonhomogeneous Inner Structure," Journal of Heat Transfer, August 1990, pp. 555-560, Vol. 112.	
	R12	KIM, W.S. <i>et al.</i> , "Hyperbolic Heat Conduction Due to Axisymmetric Continuous or Pulse Surface Heat Sources," Journal of Applied Physics, December 1990, pp. 5478-5485, Vol. 68.	
HP	R13	KUCZUMOW, ANDRZEJ <i>et al.</i> , "Scheme for X-Ray Tracing in Capillary Optics," Applied Optics, December 1994, pp. 7928-7932, Vol. 33 No. 34.	

Examiner Signature		Date Considered	7/16/03
--------------------	---	-----------------	---------

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup> Applicant's unique citation designation number (optional). <sup>2</sup> Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending on the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.



Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

PTO/SB/08B (10-01)

Approved for use through 10/31/2002. OMB 0651-0031  
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

<b>Substitute for form 1449B/PTO</b> <b>INFORMATION DISCLOSURE</b> <b>STATEMENT BY APPLICANT</b>  (use as many sheets as necessary)				<b>Complete if Known</b>	
				Application Number	10/055,068
				Filing Date	January 22, 2002
				First Named Inventor	Kunal Mitra
				Group Art Unit	2882
				Examiner Name	
Sheet	3	of	4	Attorney Docket Number	FIT-100XC1


NON PATENT LITERATURE DOCUMENTS			
Examiner Initials*	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS), title of the article, (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T <sup>2</sup>
HP	R14	KUMAKHOV, M.A. <i>et al.</i> , "Multiple Reflection From Surface X-Ray Optics," Physics Reports, 1990, pp. 289-350, Vol. 191 No. 5, North-Holland.	
	R15	KUMAR, SUNIL <i>et al.</i> , "Hyperbolic Damped-Wave Models for Transient Light-Pulse Propagation in Scattering Media," Applied Optics, July 1996, pp. 3372-3378, Vol. 35 No. 19.	
	R16	KUMAR, SUNIL <i>et al.</i> , "Microscale Aspects of Thermal Radiation Transport and Laser Applications," Advances In Heat Transfer, 1999, pp. 187-294, Vol. 33, Academic Press, San Diego.	
	R17	MATSUURA, YUJI <i>et al.</i> , "Delivery of F <sub>2</sub> -excimer Laser Light by Aluminum Hollow Fibers," Optics Express, June 2000, Vol. 6 No. 13.	
	R18	MITRA, KUNAL <i>et al.</i> , "Development and Comparison of Models for Light-Pulse Transport through Scattering-Absorbing Media, January 1999, pp. 188-196, Vol. 38 No. 1.	
	R19	MITRA, K. <i>et al.</i> , "Experimental Evidence of Hyperbolic Heat Conduction in Processed Meat," Journal of Heat Transfer, 1995, pp. 568-573, Vol. 117 No. 3.	
	R20	MOSHER, D. <i>et al.</i> , "X radiation from High-Energy-Density Exploded-Wire Discharges," Applied Physics Letter, October 1973, pp. 429-430, Vol. 23 No. 8.	
	R21	MOSHER, D. <i>et al.</i> , "X-Ray Light Pipes," Applied Physics Letter, July 1976, pp. 105-107, Vol. 29 No. 2.	
	R22	PEPINE, CARL J. <i>et al.</i> , "A Controlled Trial of Corticosteroids to Prevent Restenosis After Coronary Angioplasty," Circulation, February 1990, pp. 1753-1761, Vol. 81.	
	R23	RINDBY, A., "Applications of Fiber Technique in the X-Ray Region," Nuclear Instruments and Methods in Physics Research, 1986, pp. 536-540, A249, North-Holland, Amsterdam.	
	R24	SCHATZ, RICHARD A. <i>et al.</i> , "Clinical Experience With the Palmaz-Schatz Coronary Stent Initial Results of a Multicenter Study," Circulation, 1991, pp. 148-161, Vol. 83	
	R25	SERRUYS, PATRICK W. <i>et al.</i> , "A Comparison of Balloon-Expandable-Stent Implantation with Balloon Angioplasty in Patients with Coronary Artery Disease," The New England Journal of Medicine, August 1994, pp. 489-495, Vol. 331 No. 8.	
HP	R26	TEIRSTEIN, PAUL S. <i>et al.</i> , "Two-Year Follow-Up After Catheter-Based Radiotherapy to Inhibit Coronary Restenosis," Circulation, January 1999, pp. 243-247, Vol. 99 No. 2.	

Examiner Signature		Date Considered	9/16/03
--------------------	--	-----------------	---------

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup> Applicant's unique citation designation number (optional). <sup>2</sup> Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending on the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.



PTO/SB/08B (10-01)

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

<b>Substitute for form 1449B/PTO</b> <b>INFORMATION DISCLOSURE</b> <b>STATEMENT BY APPLICANT</b>  (use as many sheets as necessary)		<b>Complete if Known</b>			
		Application Number	10/055,068		
		Filing Date	January 22, 2002		
		First Named Inventor	Kunal Mitra		
		Group Art Unit	2882		
		Examiner Name			
Sheet	4	of	4	Attorney Docket Number	FIT-100XC1

NON PATENT LITERATURE DOCUMENTS			
Examiner Initials*	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS), title of the article, (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T <sup>2</sup>
MP	R27	TOPOL, ERIC J. <i>et al.</i> , "A Comparison of Directional Atherectomy with Coronary Angioplasty in Patients with Coronary Artery Disease," The New England Journal of Medicine, July 1993, pp. 221-227, Vol. 329 No. 4.	
	R28	VEDAVARZ, ALI <i>et al.</i> , "Significance of Non-Fourier Heat Wave in Conduction," ASME Journal of Heat Transfer, February 1994, pp. 221-224, Vol. 116.	
	R29	VERIN, VITALI <i>et al.</i> , "Intra-arterial Beta Irradiation Prevents Neointimal Hyperplasia in a Hypercholesterolemic Rabbit Restenosis Model," Circulation, 1995, pp. 2284-2290, Vol. 92 No. 8.	
	R30	VERNOTTE, M.P. <i>et al.</i> , "Les Paradoxes de la Theorie Continue de l'Equation de la Chaleur," Comptes Rendus, 1958, pp. 3154-3155, Vol. 246.	
	R31	WAKSMAN, RON <i>et al.</i> , "Endovascular Low-Dose Irradiation Inhibits Neointima Formation After Coronary Artery Balloon Injury in Swine: A Possible Role for Radiation Therapy in Restenosis Prevention," Circulation, 1995, pp. 1533-1539, Vol. 91.	
	R32	GANNOT, I. <i>et al.</i> , "Broadband Flexible Waveguides for Free-Electron Laser Radiation," Applied Optics, September 1997, pp. 6289-6293, Vol. 36 No. 25.	
	R33	WEIDERMANN, J.G. <i>et al.</i> , "Intracoronary Irradiation Markedly Reduces Neointimal Proliferation After Balloon Angioplasty in Swine: Persistent Benefit at 6-Month Follow-Up," Journal of American College of Cardiology, 1995, pp. 1451-1456, Vol. 25.	
	R34	WHITWORTH, HALL B. <i>et al.</i> , "Effect of Nifedipine on Recurrent Stenosis After Percutaneous Transluminal Coronary Angioplasty," Journal of American College of Cardiology, 1986, pp. 1271-1276, Vol. 8 No. 6.	
	R35	ILEV, ILKO K. <i>et al.</i> , "Uncoated hollow taper as a simple optical funnel for laser delivery," Review of Scientific Instruments, October 1999, pp. 3840-3843, Vol. 70 No. 10.	
MP	R36	SPILLER, EBERHARD <i>et al.</i> , "Propagation of x rays in waveguides," Appl. Phys. Lett., January 1974, pp. 60-61, Vol. 24 No. 2.	

Examiner Signature		Date Considered	9/16/02
--------------------	--	-----------------	---------

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup> Applicant's unique citation designation number (optional). <sup>2</sup> Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending on the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.